

## **Light Curtain Controller**

- To detect output malfunction of light curtain
  - Output broke wire detection
  - Output short circuit detection
- Malfunction detection with latching function
- 光幕異常偵測
  - 輸出斷線偵測
  - 輸出短路偵測
- 異常偵測附鎖住功能

## ■ Specification / 規格

Product	產品	Light curtain controller 光幕安全控制器			Power supply 24V電源供應器		
Model	型號	C-1-LCK			C-1-24V		
Control method	控制方式	OSSD1 & OSSD2 Interlock control			Non		
Control output	控制輸出	Relay 1c ; 5A/250VAC			Non		
Alarm output	警報輸出	Relay 1a ; 5A/250VAC			Non		
Latching function	保持功能	Error latching			Non		
Power supply	工作電壓	110V / 220VAC 50/60Hz					
Current consumption	耗電流	3VA Max.					
DC power output	直流輸出	150mA / 24V Max.					
Alarm reset	警報復歸	Manual reset					
Output current	工作環境	-20°C ~ +80°C ; 35% ~ 85% RH					
Operating circumstance	功能 _ _	Status	OSSD1	OSSI	D2	Run	Alarm
		Clear	L	Н		ON	OFF
		Brake	Н	L		OFF	OFF
		Error	Н	Н		OFF	ON
		Error	L	L		OFF	ON



